





This document contains proprietary information and is not to be reproduced or used without the written permission of Phase One Denmark A/S



LENS	DISTANCE FROM FLANGE TO LENS (X)	TOTAL LENGHT	CENTER OF GRAVITY(Xc) iXU150	CENTER OF GRAVITY(Xc) iXU180/160/1000
28mm LS F/4.5	187	247.5	63	57
55mm LS f/2.8	127	187.5	35	30
80mm LS f/2.8	115	175.5	26	20
110mm LS f/2.8	133	193.5	35	30
150mm LS f/3.5	138	198.5	40	35

PHASEONE

Date: 23/02/2016

Signature: ZACH NAHUM




Product change

MILLIMETERS UNLESS SPECIFIED

iXU SYSTEM

part number	Scale	Revision	pages	sheet
50201063	1:1	1	3	1

This document contains proprietary information and is not to be reproduced or used without the written permission of Phase One Denmark A/S



CONFIDENTIAL: PROPERTY OF PHASEONE LTD.




PHASEONE

Date: 23/02/2016	Product change	
Signature: ZACH NAHUM	MILLIMETERS UNLESS SPECIFIED	

iXU SYSTEM

part number	Scale	Revision	pages	sheet
50201063	1:1	1	3	2

This document contains proprietary information and is not to be reproduced or used without the written permission of Phase One Denmark A/S



FOCUS LOCKING SYSTEM

PHASEONE				
Date: 23/02/2016	Product change			
Signature: ZACH NAHUM	MILLIMETERS UNLESS SPECIFIED			
ixU SYSTEM				
part number	Scale	Revision	pages	sheet
50201063	1:1	1	3	3